

Claims:

1. An isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence, which is selected from the group consisting of:
 - a) a nucleic acid molecule having at least 70% sequence identity to a nucleic acid molecule selected from Seq ID No 1, 101-144.
 - b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
 - c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
 - d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b), or c)
 - e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid molecule defined in a), b), c) or d).
2. The isolated nucleic acid molecule according to claim 1, wherein the sequence identity is at least 80%, preferably at least 95%, especially 100%.
3. An isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence selected from the group consisting of
 - a) a nucleic acid molecule having at least 96% sequence identity to a nucleic acid molecule selected from Seq ID No 2-6, 8, 10-16, 18-23, 25-31, 34, 36, 38-42, 44, 47-48, 51, 53, 55-62, 64, 67, 71-76, 78-79, 81-94, 96-100.
 - b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
 - c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
 - d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b) or c),
 - e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).
4. An isolated nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of
 - a) a nucleic acid molecule selected from Seq ID No 9, 17, 24, 32, 37, 43, 52, 54, 65-66, 70, 80,
 - b) a nucleic acid molecule which is complementary to the nucleic acid of a),
 - c) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).
5. The nucleic acid molecule according to any one of the claims 1, 2, 3 or 4, wherein the nucleic acid is DNA.
6. The nucleic acid molecule according to any one of the claims 1, 2, 3, 4, or 5 wherein the nucleic acid is RNA.
7. An isolated nucleic acid molecule according to any one of claims 1 to 5, wherein the nucleic acid molecule is isolated from a genomic DNA, especially from a *S. pneumoniae* genomic DNA.
8. A vector comprising a nucleic acid molecule according to any one of claims 1 to 7.
9. A vector according to claim 8, wherein the vector is adapted for recombinant expression of the hyperimmune serum reactive antigens or fragment thereof encoded by the nucleic acid molecule according to any one of claims 1 to 7.

10. A host cell comprising the vector according to claim 8 or 9.
11. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 1, 2, 5, 6 or 7 and fragments thereof, wherein the amino acid sequence is selected from the group consisting of Seq ID No 145, 245-288.
12. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 3, 5, 6, or 7 and fragments thereof, wherein the amino acid sequence is selected from the group consisting of Seq ID No 146-150, 152, 154-160, 162-167, 169-175, 178, 180, 182-186, 188, 191-192, 195, 197, 199-206, 208, 211, 215-220, 222-223, 225-238, 240-244.
13. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 4, 5, 6, or 7 and fragments thereof, wherein the amino acid sequence is selected from the group consisting of Seq ID No 153, 161, 168, 176, 181, 187, 196, 198, 209-210, 214, 224.
14. Fragments of hyperimmune serum-reactive antigens selected from the group consisting of peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region" of Table 2; the serum reactive epitopes of Table 2, especially peptides comprising amino acid 4-11, 35-64, 66-76, 101-108, 111-119 and 57-114 of Seq ID No 145; 5-27, 32-64, 92-102, 107-113, 119-125, 133-139, 148-162, 177-187, 195-201, 207-214, 241-251, 254-269, 285-300, 302-309, 317-324, 332-357, 365-404, 411-425, 443-463, 470-477, 479-487, 506-512, 515-520, 532-547, 556-596, 603-610, 616-622, 624-629, 636-642, 646-665, 667-674, 687-692, 708-720, 734-739, 752-757, 798-820, 824-851, 856-865 and 732-763 of Seq ID No 146; 14-21, 36-44, 49-66, 102-127, 162-167, 177-196, 45-109 and 145-172 of Seq ID No 147; 17-35, 64-75, 81-92, 100-119, 125-172, 174-183, 214-222, 230-236, 273-282, 287-303, 310-315, 331-340, 392-398, 412-420, 480-505, 515-523, 525-546, 553-575, 592-598, 603-609, 617-625, 631-639, 644-651, 658-670, 681-687, 691-704, 709-716, 731-736, 739-744, 750-763, 774-780, 784-791, 799-805, 809-822, 859-870, 880-885, 907-916, 924-941, 943-949, 973-986, 1010-1016, 1026-1036, 1045-1054, 1057-1062, 1082-1088, 1095-1102, 1109-1120, 1127-1134, 1140-1146, 1152-1159, 1169-1179, 1187-1196, 1243-1251, 1262-1273, 1279-1292, 1306-1312, 1332-1343, 1348-1364, 1379-1390, 1412-1420, 1427-1436, 1458-1468, 1483-1503, 1524-1549, 1574-1588, 1614-1619, 1672-1685, 1697-1707, 1711-1720, 1738-1753, 1781-1787, 1796-1801, 1826-1843, 132-478, 508-592 and 1753-1810 of Seq ID No 148; 15-43, 49-55, 71-77, 104-110, 123-130, 162-171, 180-192, 199-205, 219-227, 246-254, 264-270, 279-287, 293-308, 312-322, 330-342, 349-356, 369-377, 384-394, 401-406, 416-422, 432-439, 450-460, 464-474, 482-494, 501-508, 521-529, 536-546, 553-558, 568-574, 584-591, 602-612, 616-626, 634-646, 653-660, 673-681, 688-698, 705-710, 720-726, 736-749, 833-848, 1-199, 200-337, 418-494 and 549-647 of Seq ID No 149; 9-30, 65-96, 99-123, 170-178 and 1-128 of Seq ID No 150; 7-32, 34-41, 96-106, 127-136, 154-163, 188-199, 207-238, 272-279, 306-312, 318-325, 341-347, 353-360, 387-393, 399-406, 434-440, 452-503, 575-580, 589-601, 615-620, 635-640, 654-660, 674-680, 696-701, 710-731, 1-548 and 660-691 of Seq ID No 151; 4-19, 35-44, 48-59, 77-87, 93-99, 106-111, 130-138, 146-161 and 78-84 of Seq ID No 152; 24-30, 36-43, 64-86, 93-99, 106-130, 132-145, 148-165, 171-177, 189-220, 230-249, 251-263, 293-300, 302-312, 323-329, 338-356, 369-379, 390-412 and 179-193 of Seq ID No 153; 30-39, 61-67, 74-81, 90-120, 123-145, 154-167, 169-179, 182-197, 200-206, 238-244, 267-272 and 230-265 of Seq ID No 154; 14-20, 49-65, 77-86 and 2-68 of Seq ID No 155; 4-9, 26-35, 42-48, 53-61, 63-85, 90-101, 105-111, 113-121, 129-137, 140-150, 179-188, 199-226, 228-237, 248-255, 259-285, 299-308, 314-331, 337-343, 353-364, 410-421, 436-442 and 110-144 of Seq ID No 156; 36-47, 55-63, 94-108, 129-134, 144-158, 173-187, 196-206, 209-238, 251-266, 270-285, 290-295, 300-306, 333-344, 346-354, 366-397, 404-410, 422-435, 439-453, 466-473, 515-523, 529-543, 554-569, 571-585, 590-596, 607-618, 627-643, 690-696, 704-714, 720-728, 741-749, 752-767, 780-799, 225-247 and 480-507 of Seq ID No 157; 16-25, 36-70, 80-

93, 100-106 and 78-130 of Seq ID No 158; 18-27, 41-46, 50-57, 65-71, 79-85, 93-98, 113-128, 144-155, 166-178, 181-188, 201-207, 242-262, 265-273, 281-295, 303-309, 318-327 and 36-64 of Seq ID No 159; 7-29, 31-44, 50-59, 91-96, 146-153, 194-201, 207-212, 232-238, 264-278, 284-290, 296-302, 326-353, 360-370, 378-384, 400-405, 409-418, 420-435, 442-460, 499-506, 529-534, 556-562, 564-576, 644-651, 677-684, 687-698, 736-743, 759-766, 778-784, 808-814, 852-858, 874-896, 920-925, 929-935, 957-965, 1003-1012, 1021-1027, 1030-1044, 1081-1087, 1101-1111, 1116-1124, 1148-1159, 1188-1196, 1235-1251, 1288-1303, 1313-1319, 1328-1335, 1367-1373, 1431-1437, 1451-1458, 1479-1503, 1514-1521, 1530-1540, 1545-1552, 1561-1568, 1598-1605, 1617-1647, 1658-1665, 1670-1676, 1679-1689, 1698-1704, 1707-1713, 1732-1738, 1744-1764, 1-70, 154-189, 922-941, 1445-1462 and 1483-1496 of Seq ID No 160; 6-51, 81-91, 104-113, 126-137, 150-159, 164-174, 197-209, 215-224, 229-235, 256-269, 276-282, 307-313, 317-348, 351-357, 376-397, 418-437, 454-464, 485-490, 498-509, 547-555, 574-586, 602-619 and 452-530 of Seq ID No 161; 25-31, 39-47, 49-56, 99-114, 121-127, 159-186, 228-240, 253-269, 271-279, 303-315, 365-382, 395-405, 414-425, 438-453 and 289-384 of Seq ID No 162; 9-24, 41-47, 49-54, 68-78, 108-114, 117-122, 132-140, 164-169, 179-186, 193-199, 206-213, 244-251, 267-274, 289-294, 309-314, 327-333, 209-249 and 286-336 of Seq ID No 163; 9-28, 53-67, 69-82, 87-93, 109-117, 172-177, 201-207, 220-227, 242-247, 262-268, 305-318, 320-325 and 286-306 of Seq ID No 164; 4-10, 26-39, 47-58, 63-73, 86-96, 98-108, 115-123, 137-143, 148-155, 160-176, 184-189, 194-204, 235-240, 254-259, 272-278 and 199-283 of Seq ID No 165; 4-26, 33-39, 47-53, 59-65, 76-83, 91-97, 104-112, 118-137, 155-160, 167-174, 198-207, 242-268, 273-279, 292-315, 320-332, 345-354, 358-367, 377-394, 403-410, 424-439, 445-451, 453-497, 511-518, 535-570, 573-589, 592-601, 604-610 and 202-242 of Seq ID No 166; 8-30, 36-45, 64-71, 76-82, 97-103, 105-112, 134-151, 161-183, 211-234, 253-268, 270-276, 278-284, 297-305, 309-315, 357-362, 366-372, 375-384, 401-407, 409-416, 441-455, 463-470, 475-480, 490-497, 501-513, 524-537, 552-559, 565-576, 581-590, 592-600, 619-625, 636-644, 646-656 and 316-419 of Seq ID No 167; 4-17, 52-58, 84-99, 102-110, 114-120, 124-135, 143-158, 160-173, 177-196, 201-216, 223-250, 259-267, 269-275 and 1-67 of Seq ID No 168; 6-46, 57-67, 69-80, 82-133, 137-143, 147-168, 182-187, 203-209, 214-229, 233-242, 246-280 and 53-93 of Seq ID No 169; 7-40, 50-56, 81-89, 117-123, 202-209, 213-218, 223-229, 248-261, 264-276, 281-288, 303-308, 313-324, 326-332, 340-346, 353-372, 434-443, 465-474, 514-523, 556-564, 605-616, 620-626, 631-636, 667-683, 685-699, 710-719, 726-732, 751-756, 760-771, 779-788, 815-828, 855-867, 869-879, 897-902, 917-924, 926-931, 936-942, 981-1000, 1006-1015, 1017-1028, 1030-1039, 1046-1054, 1060-1066, 1083-1092, 1099-1112, 1122-1130, 1132-1140, 1148-1158, 1161-1171, 1174-1181, 1209-1230, 1236-1244, 1248-1254, 1256-1267, 1269-1276, 1294-1299, 1316-1328, 1332-1354, 1359-1372, 1374-1380, 1384-1390, 1395-1408, 1419-1425, 1434-1446, 1453-1460, 1465-1471, 1474-1493, 1505-1515, 1523-1537, 1547-1555, 1560-1567, 1577-1605, 1633-1651, 1226-1309, 1455-1536 and 1538-1605 of Seq ID No 170; 4-10, 31-39, 81-88, 106-112, 122-135, 152-158, 177-184, 191-197, 221-227, 230-246, 249-255, 303-311, 317-326, 337-344, 346-362, 365-371, 430-437, 439-446, 453-462, 474-484 and 449-467 of Seq ID No 171; 9-15, 24-35, 47-55, 122-128, 160-177, 188-196, 202-208, 216-228, 250-261, 272-303, 318-324, 327-339, 346-352, 355-361, 368-373, 108-218 and 344-376 of Seq ID No 172; 6-14, 17-48, 55-63, 71-90, 99-109, 116-124, 181-189, 212-223, 232-268, 270-294, 297-304, 319-325, 340-348, 351-370, 372-378, 388-394, 406-415, 421-434 and 177-277 of Seq ID No 173; 21-39, 42-61, 65-75, 79-85, 108-115 and 11-38 of Seq ID No 174; 4-17, 26-39, 61-76, 103-113, 115-122, 136-142, 158-192, 197-203, 208-214, 225-230, 237-251 and 207-225 of Seq ID No 175; 5-11, 27-36, 42-53, 62-70, 74-93, 95-104, 114-119, 127-150, 153-159, 173-179, 184-193, 199-206, 222-241, 248-253, 257-280, 289-295, 313-319, 322-342, 349-365, 368-389, 393-406, 408-413, 426-438, 447-461, 463-470, 476-495, 532-537, 543-550 and 225-246 of Seq ID No 176; 4-29, 68-82, 123-130, 141-147, 149-157, 178-191, 203-215, 269-277, 300-307, 327-335, 359-370, 374-380, 382-388, 393-400, 410-417, 434-442, 483-492, 497-503, 505-513, 533-540, 564-569, 601-607, 639-647, 655-666, 693-706, 712-718, 726-736, 752-758, 763-771, 774-780, 786-799, 806-812, 820-828, 852-863, 884-892, 901-909, 925-932, 943-948, 990-996, 1030-1036, 1051-1059, 1062-1068, 1079-1086, 1105-1113, 1152-1162, 1168-1179, 1183-1191, 1204-1210, 1234-1244, 1286-1295, 1318-1326, 1396-1401, 1451-1460, 1465-1474, 1477-1483, 1488-1494, 1505-1510, 1514-1521, 1552-1565, 1593-1614, 1664-1672, 1677-1685, 1701-1711, 1734-1745, 1758-1770, 1784-1798, 1840-1847, 1852-1873, 1885-1891, 1906-1911, 1931-1939, 1957-1970, 1977-1992, 2014-2020, 2026-2032, 2116-2134, 1-348, 373-490, 573-767, 903-1043, 1155-1198, 1243-1482, 1550-1595, 1682-1719, 1793-1921 and 2008-2110 of Seq ID No 177; 10-35, 39-52, 107-112, 181-188, 226-236, 238-253,

258-268, 275-284, 296-310, 326-338, 345-368, 380-389, 391-408, 410-418, 420-429, 444-456, 489-505, 573-588, 616-623, 637-643, 726-739, 741-767, 785-791, 793-803, 830-847, 867-881, 886-922, 949-956, 961-980, 988-1004, 1009-1018, 1027-1042, 1051-1069, 1076-1089, 1108-1115, 1123-1135, 1140-1151, 1164-1179, 1182-1191, 1210-1221, 1223-1234, 1242-1250, 1255-1267, 1281-1292, 1301-1307, 1315-1340, 1348-1355, 1366-1373, 1381-1413, 1417-1428, 1437-1444, 1453-1463, 1478-1484, 1490-1496, 1498-1503, 1520-1536, 1538-1546, 1548-1570, 1593-1603, 1612-1625, 1635-1649, 1654-1660, 1670-1687, 1693-1700, 1705-1711, 1718-1726, 1729-1763, 1790-1813, 1871-1881, 1893-1900, 1907-1935, 1962-1970, 1992-2000, 2006-2013, 2033-2039, 2045-2051, 2055-2067, 2070-2095, 2097-2110, 2115-2121, 2150-2171, 2174-2180, 2197-2202, 2206-2228 and 1526-1560 of Seq ID No 178; 4-17, 35-48, 54-76, 78-107, 109-115, 118-127, 134-140, 145-156, 169-174, 217-226, 232-240, 256-262, 267-273, 316-328, 340-346, 353-360, 402-409, 416-439, 448-456, 506-531, 540-546, 570-578, 586-593, 595-600, 623-632, 662-667, 674-681, 689-705, 713-724, 730-740, 757-763, 773-778, 783-796, 829-835, 861-871, 888-899, 907-939, 941-955, 957-969, 986-1000, 1022-1028, 1036-1044, 1068-1084, 1095-1102, 1118-1124, 1140-1146, 1148-1154, 1168-1181, 1185-1190, 1197-1207, 1218-1226, 1250-1270, 1272-1281, 1284-1296, 1312-1319, 1351-1358, 1383-1409, 1422-1428, 1438-1447, 1449-1461, 1482-1489, 1504-1510, 1518-1527, 1529-1537, 1544-1551, 1569-1575, 1622-1628, 1631-1637, 1682-1689, 1711-1718, 1733-1740, 1772-1783, 1818-1834, 1859-1872, 1-64 and 128-495 of Seq ID No 179; 8-28, 32-37, 62-69, 119-125, 137-149, 159-164, 173-189, 200-205, 221-229, 240-245, 258-265, 268-276, 287-293, 296-302, 323-329 and 1-95 of Seq ID No 180; 9-18, 25-38, 49-63, 65-72, 74-81, 94-117, 131-137, 139-146, 149-158, 162-188, 191-207, 217-225, 237-252, 255-269, 281-293, 301-326, 332-342, 347-354, 363-370, 373-380, 391-400, 415-424, 441-447 and 75-107 of Seq ID No 181; 4-24, 64-71, 81-87, 96-116, 121-128, 130-139, 148-155, 166-173, 176-184, 203-215, 231-238, 243-248, 256-261, 280-286, 288-306, 314-329 and 67-148 of Seq ID No 182; 4-10, 19-37, 46-52, 62-81, 83-89, 115-120, 134-139, 141-151, 168-186, 197-205, 209-234, 241-252, 322-335, 339-345, 363-379, 385-393, 403-431, 434-442, 447-454, 459-465, 479-484, 487-496 and 404-420 of Seq ID No 183; 10-35, 46-66, 71-77, 84-93, 96-122, 138-148, 154-172, 182-213, 221-233, 245-263, 269-275, 295-301, 303-309, 311-320, 324-336, 340-348, 351-359, 375-381 and 111-198 of Seq ID No 184; 14-25, 30-42, 47-61, 67-75, 81-91, 98-106, 114-122, 124-135, 148-193, 209-227 and 198-213 of Seq ID No 185; 5-18, 45-50, 82-90, 97-114, 116-136, 153-161, 163-171, 212-219, 221-227, 240-249, 267-281, 311-317, 328-337, 375-381, 390-395, 430-436, 449-455, 484-495, 538-543, 548-554, 556-564, 580-586, 596-602 and 493-606 of Seq ID No 186; 9-25, 28-34, 37-44, 61-68, 75-81, 88-96, 98-111, 119-133, 138-150, 152-163, 168-182, 186-194, 200-205, 216-223, 236-245, 257-264, 279-287, 293-304, 311-318, 325-330, 340-346, 353-358, 365-379, 399-409, 444-453 and 303-391 of Seq ID No 187; 16-36, 55-61, 66-76, 78-102, 121-130, 134-146, 150-212, 221-239, 255-276, 289-322, 329-357 and 29-59 of Seq ID No 188; 8-27, 68-74, 77-99, 110-116, 124-141, 171-177, 202-217, 221-228, 259-265, 275-290, 293-303, 309-325, 335-343, 345-351, 365-379, 384-394, 406-414, 423-437, 452-465, 478-507, 525-534, 554-560, 611-624, 628-651, 669-682, 742-747, 767-778, 782-792, 804-812, 820-836, 79-231 and 359-451 of Seq ID No 189; 5-28, 39-45, 56-62, 67-74, 77-99, 110-117, 124-141, 168-176, 200-230, 237-244, 268-279, 287-299, 304-326, 329-335, 348-362, 370-376, 379-384, 390-406, 420-429, 466-471, 479-489, 495-504, 529-541, 545-553, 561-577, 598-604, 622-630, 637-658, 672-680, 682-688, 690-696, 698-709, 712-719, 724-736, 738-746, 759-769, 780-786, 796-804, 813-818, 860-877, 895-904, 981-997, 1000-1014, 1021-1029, 1-162, 206-224, 254-350, 414-514 and 864-938 of Seq ID No 190; 4-11, 19-49, 56-66, 68-101, 109-116, 123-145, 156-165, 177-185, 204-221, 226-234, 242-248, 251-256, 259-265, 282-302, 307-330, 340-349, 355-374, 377-383, 392-400, 422-428, 434-442, 462-474 and 266-322 of Seq ID No 191; 14-43, 45-57, 64-74, 80-87, 106-127, 131-142, 145-161, 173-180, 182-188, 203-210, 213-219, 221-243, 245-254, 304-311, 314-320, 342-348, 354-365, 372-378, 394-399, 407-431, 436-448, 459-465, 470-477, 484-490, 504-509, 531-537, 590-596, 611-617, 642-647, 723-734, 740-751, 754-762, 764-774, 782-797, 807-812, 824-831, 838-845, 877-885, 892-898, 900-906, 924-935, 940-946, 982-996, 1006-1016, 1033-1043, 1051-1056, 1058-1066, 1094-1108, 1119-1126, 1129-1140, 1150-1157, 1167-1174, 1176-1185, 1188-1201, 1209-1216, 1220-1228, 1231-1237, 1243-1248, 1253-1285, 1288-1297, 1299-1307, 1316-1334, 1336-1343, 1350-1359, 1365-1381, 1390-1396, 1412-1420, 1427-1439, 1452-1459, 1477-1484, 1493-1512, 1554-1559, 1570-1578, 1603-1608, 1623-1630, 1654-1659, 1672-1680, 1689-1696, 1705-1711, 1721-1738, 1752-1757, 1773-1780, 1817-1829, 1844-1851, 1856-1863, 1883-1895, 1950-1958, 1974-1990, 172-354, 384-448, 464-644, 648-728 and 1357-1370 of Seq ID No 192; 8-27, 68-74, 77-99, 110-116, 124-141, 169-

176, 201-216, 220-227, 258-264, 274-289, 292-302, 308-324, 334-342, 344-350, 364-372, 377-387, 399-407, 416-429, 445-458, 471-481, 483-500, 518-527, 547-553, 604-617, 621-644, 662-675, 767-778, 809-816, 15-307, 350-448 and 496-620 of Seq ID No 193; 4-17, 24-29, 53-59, 62-84, 109-126, 159-164, 189-204, 208-219, 244-249, 274-290, 292-302, 308-324, 334-342, 344-350, 378-389, 391-397, 401-409, 424-432, 447-460, 470-479, 490-504, 521-529, 538-544, 549-555, 570-577, 583-592, 602-608, 615-630, 635-647, 664-677, 692-698, 722-731, 733-751, 782-790, 793-799, 56-267, 337-426 and 495-601 of Seq ID No 194; 12-22, 49-59, 77-89, 111-121, 136-148, 177-186, 207-213, 217-225, 227-253, 259-274, 296-302, 328-333, 343-354, 374-383, 424-446, 448-457, 468-480, 488-502, 507-522, 544-550, 553-560, 564-572, 587-596, 604-614, 619-625, 629-635, 638-656, 662-676, 680-692, 697-713, 720-738, 779-786, 833-847, 861-869, 880-895, 897-902, 911-917, 946-951, 959-967, 984-990, 992-1004, 1021-1040, 1057-1067, 1073-1080 and 381-403 of Seq ID No 195; 4-10, 26-31, 46-56, 60-66, 70-79, 86-94, 96-102, 109-118, 132-152, 164-187, 193-206, 217-224 and 81-149 of Seq ID No 196; 4-21, 26-37, 48-60, 71-82, 109-117, 120-128, 130-136, 142-147, 181-187, 203-211, 216-223, 247-255, 257-284, 316-325, 373-379, 395-400, 423-435, 448-456, 479-489, 512-576, 596-625, 641-678, 680-688, 692-715 and 346-453 of Seq ID No 197; 10-16, 25-31, 34-56, 58-69, 71-89, 94-110, 133-176, 186-193, 208-225, 240-250, 259-266, 302-307, 335-341, 376-383, 410-416 and 316-407 of Seq ID No 198; 11-29, 42-56, 60-75, 82-88, 95-110, 116-126, 132-143, 145-160, 166-172, 184-216 and 123-164 of Seq ID No 199; 11-29, 54-63, 110-117, 139-152, 158-166, 172-180, 186-193, 215-236, 240-251, 302-323, 330-335, 340-347, 350-366, 374-381 and 252-299 of Seq ID No 200; 18-27, 35-42, 50-56, 67-74, 112-136, 141-153, 163-171, 176-189, 205-213, 225-234, 241-247, 253-258, 269-281, 288-298, 306-324, 326-334, 355-369, 380-387 and 289-320 of Seq ID No 201; 7-15, 19-41, 56-72, 91-112, 114-122, 139-147, 163-183, 196-209, 258-280, 326-338, 357-363, 391-403, 406-416 and 360-378 of Seq ID No 202; 11-18, 29-41, 43-49, 95-108, 142-194, 204-212, 216-242, 247-256, 264-273 and 136-149 of Seq ID No 203; 18-24, 33-40, 65-79, 89-102, 113-119, 130-137, 155-161, 173-179, 183-203, 205-219, 223-231, 245-261, 267-274, 296-306, 311-321, 330-341, 344-363, 369-381, 401-408, 415-427, 437-444, 453-464, 472-478, 484-508, 517-524, 526-532, 543-548 and 59-180 of Seq ID No 204; 5-13, 52-65, 67-73, 97-110, 112-119, 134-155 and 45-177 of Seq ID No 205; 6-28, 34-43, 57-67, 75-81, 111-128, 132-147, 155-163, 165-176, 184-194, 208-216, 218-229, 239-252, 271-278, 328-334, 363-376, 381-388, 426-473, 481-488, 492-498, 507-513, 536-546, 564-582, 590-601, 607-623, 148-269, 420-450 and 610-648 of Seq ID No 206; 4-12, 20-38, 69-75, 83-88, 123-128, 145-152, 154-161, 183-188, 200-213, 245-250, 266-272, 306-312, 332-339, 357-369, 383-389, 395-402, 437-453, 455-470, 497-503 and 1-112 of Seq ID No 207; 35-59, 74-86, 111-117, 122-137 and 70-154 of Seq ID No 208; 26-42, 54-61, 65-75, 101-107, 123-130, 137-144, 148-156, 164-172, 177-192, 213-221, 231-258 and 157-249 of Seq ID No 209; 29-38, 61-67, 77-87, 94-100, 105-111, 118-158 and 1-97 of Seq ID No 210; 7-21, 30-48, 51-58, 60-85, 94-123, 134-156, 160-167, 169-183, 186-191, 216-229, 237-251, 257-267, 272-282, 287-298 and 220-243 of Seq ID No 211; 6-29, 34-47, 56-65, 69-76, 83-90, 123-134, 143-151, 158-178, 197-203, 217-235, 243-263, 303-309, 320-333, 338-348, 367-373, 387-393, 407-414, 416-427, 441-457, 473-482, 487-499, 501-509, 514-520, 530-535, 577-583, 590-602, 605-612, 622-629, 641-670, 678-690, 37-71 and 238-307 of Seq ID No 212; 7-40, 121-132, 148-161, 196-202, 209-215, 221-235, 248-255, 271-280, 288-295, 330-339, 395-409, 414-420, 446-451, 475-487, 556-563, 568-575, 580-586, 588-595, 633-638, 643-648, 652-659, 672-685, 695-700, 710-716, 737-742, 749-754, 761-767, 775-781, 796-806, 823-835, 850-863, 884-890, 892-900, 902-915, 934-941 and 406-521 of Seq ID No 213; 9-18, 24-46, 51-58, 67-77, 85-108, 114-126, 129-137, 139-146, 152-165, 173-182, 188-195, 197-204, 217-250, 260-274, 296-313, 343-366, 368-384, 427-434, 437-446, 449-455, 478-484, 492-506, 522-527, 562-591, 599-606, 609-618, 625-631, 645-652 and 577-654 of Seq ID No 214; 13-20, 26-37, 41-53, 56-65, 81-100, 102-114, 118-127, 163-188, 196-202, 231-238, 245-252, 266-285, 293-298, 301-306 and 19-78 of Seq ID No 215; 10-23, 32-42, 54-66, 73-91, 106-113, 118-127, 139-152, 164-173, 198-207, 210-245, 284-300, 313-318, 330-337, 339-346, 354-361, 387-393, 404-426, 429-439, 441-453, 467-473, 479-485, 496-509, 536-544, 551-558, 560-566, 569-574, 578-588, 610-615, 627-635, 649-675, 679-690, 698-716, 722-734, 743-754, 769-780, 782-787 and 480-550 of Seq ID No 216; 6-39, 42-50, 60-68, 76-83, 114-129, 147-162, 170-189, 197-205, 217-231, 239-248, 299-305, 338-344, 352-357, 371-377, 380-451, 459-483, 491-499, 507-523, 537-559, 587-613, 625-681, 689-729, 737-781, 785-809, 817-865, 873-881, 889-939, 951-975, 983-1027, 1031-1055, 1063-1071, 1079-1099, 1103-1127, 1151-1185, 1197-1261, 1269-1309, 1317-1333, 1341-1349, 1357-1465, 1469-1513, 1517-1553, 1557-1629, 1637-1669, 1677-1701, 1709-1725,

1733-1795, 1823-1849, 1861-1925, 1933-1973, 1981-2025, 2029-2053, 2061-2109, 2117-2125, 2133-2183, 2195-2219, 2227-2271, 2275-2299, 2307-2315, 2323-2343, 2347-2371, 2395-2429, 2441-2529, 2537-2569, 2577-2601, 2609-2625, 2633-2695, 2699-2737, 2765-2791, 2803-2867, 2889-2913, 2921-2937, 2945-2969, 2977-2985, 2993-3009, 3023-3045, 3073-3099, 3111-3167, 3175-3215, 3223-3267, 3271-3295, 3303-3351, 3359-3367, 3375-3425, 3437-3461, 3469-3513, 3517-3541, 3549-3557, 3565-3585, 3589-3613, 3637-3671, 3683-3747, 3755-3795, 3803-3819, 3827-3835, 3843-3951, 3955-3999, 4003-4039, 4043-4115, 4123-4143, 4147-4171, 4195-4229, 4241-4305, 4313-4353, 4361-4377, 4385-4393, 4401-4509, 4513-4557, 4561-4597, 4601-4718, 4749-4768, 74-171, 452-559 and 2951-3061 of Seq ID No 217; 16-22, 30-51, 70-111, 117-130, 137-150, 171-178, 180-188, 191-196 and 148-181 of Seq ID No 218; 6-19, 21-46, 50-56, 80-86, 118-126, 167-186, 189-205, 211-242, 244-267, 273-286, 290-297, 307-316, 320-341 and 34-60 of Seq ID No 219; 5-26, 33-43, 48-54, 58-63, 78-83, 113-120, 122-128, 143-152, 157-175, 185-192, 211-225, 227-234, 244-256, 270-281, 284-290, 304-310, 330-337, 348-355, 362-379, 384-394, 429-445, 450-474, 483-490, 511-520, 537-546, 548-554, 561-586, 590-604, 613-629, 149-186, 285-431 and 573-659 of Seq ID No 220; 5-26, 49-59, 61-67, 83-91, 102-111, 145-157, 185-192, 267-272, 279-286, 292-298, 306-312, 134-220, 235-251 and 254-280 of Seq ID No 221; 5-19, 72-79, 83-92, 119-124, 140-145, 160-165, 167-182, 224-232, 240-252, 259-270, 301-310, 313-322, 332-343, 347-367, 384-398, 416-429, 431-446, 454-461 and 1-169 of Seq ID No 222; 8-17, 26-31, 56-62, 75-83, 93-103, 125-131, 135-141, 150-194, 205-217, 233-258, 262-268, 281-286 and 127-168 of Seq ID No 223; 6-12, 69-75, 108-115, 139-159, 176-182, 194-214 and 46-161 of Seq ID No 224; 6-13, 18-27, 39-48, 51-59, 66-73, 79-85, 95-101, 109-116, 118-124, 144-164, 166-177, 183-193, 197-204, 215-223, 227-236, 242-249, 252-259, 261-270, 289-301, 318-325 and 12-58 of Seq ID No 225; 4-10, 26-32, 48-60, 97-105, 117-132, 138-163, 169-185, 192-214, 219-231, 249-261, 264-270, 292-308, 343-356, 385-392, 398-404, 408-417, 435-441 and 24-50 of Seq ID No 226; 10-40, 42-48, 51-61, 119-126 and 1-118 of Seq ID No 227; 5-17, 40-58, 71-83, 103-111, 123-140, 167-177, 188-204 and 116-128 of Seq ID No 228; 4-9, 11-50, 57-70, 112-123, 127-138 and 64-107 of Seq ID No 229; 9-39, 51-67 and 1-101 of Seq ID No 230; 5-14, 17-25, 28-46, 52-59, 85-93, 99-104, 111-120, 122-131, 140-148, 158-179, 187-197, 204-225, 271-283, 285-293 and 139-155 of Seq ID No 231; 42-70, 73-90, 92-108, 112-127, 152-164, 166-172, 181-199, 201-210, 219-228, 247-274, 295-302, 322-334, 336-346, 353-358, 396-414, 419-425, 432-438, 462-471, 518-523, 531-536, 561-567, 576-589, 594-612, 620-631, 665-671, 697-710, 718-731, 736-756, 765-771, 784-801 and 626-653 of Seq ID No 232; 8-28, 41-51, 53-62, 68-74, 79-85, 94-100, 102-108, 114-120, 130-154, 156-162, 175-180, 198-204, 206-213, 281-294, 308-318, 321-339, 362-368, 381-386, 393-399, 407-415 and 2-13 of Seq ID No 233; 4-39, 48-65, 93-98, 106-112, 116-129 and 10-36 of Seq ID No 234; 25-32, 35-50, 66-71, 75-86, 90-96, 123-136, 141-151, 160-179, 190-196, 209-215, 222-228, 235-242, 257-263, 270-280 and 209-247 of Seq ID No 235; 5-29, 31-38, 50-57, 62-75, 83-110, 115-132, 168-195, 197-206, 216-242, 249-258, 262-269, 333-340, 342-350, 363-368, 376-392, 400-406, 410-421, 423-430, 436-442, 448-454, 460-466, 471-476, 491-496, 511-516, 531-536, 551-556, 571-576, 585-591, 599-605, 27-70, 219-293, 441-504 and 512-584 of Seq ID No 236; 4-12, 14-34, 47-75, 83-104, 107-115, 133-140, 148-185, 187-196, 207-212, 224-256, 258-265, 281-287, 289-296, 298-308, 325-333, 345-355, 365-371, 382-395, 424-435, 441-457, 465-472, 483-491, 493-505, 528-534, 536-546, 552-558, 575-584, 589-600, 616-623 and 576-591 of Seq ID No 237; 4-76, 78-89, 91-126, 142-148, 151-191, 195-208, 211-223, 226-240, 256-277, 279-285, 290-314, 317-323, 358-377, 381-387, 391-396, 398-411, 415-434, 436-446, 454-484, 494-512, 516-523, 538-552, 559-566, 571-577, 579-596, 599-615, 620-627, 635-644, 694-707, 720-734, 737-759, 761-771 and 313-329 of Seq ID No 238; 7-38, 44-49, 79-89, 99-108, 117-123, 125-132, 137-146, 178-187, 207-237, 245-255, 322-337, 365-387, 398-408, 445-462, 603-608, 623-628, 644-650, 657-671, 673-679 and 111-566 of Seq ID No 239; 6-20, 22-35, 39-45, 58-64, 77-117, 137-144, 158-163, 205-210, 218-224, 229-236, 239-251, 263-277, 299-307, 323-334, 353-384, 388-396, 399-438, 443-448, 458-463, 467-478, 481-495, 503-509, 511-526, 559-576, 595-600, 612-645, 711-721, 723-738, 744-758, 778-807 and 686-720 of Seq ID No 240; 10-33, 35-41, 72-84, 129-138, 158-163, 203-226, 243-252, 258-264, 279-302, 322-329, 381-386, 401-406, 414-435 and 184-385 of Seq ID No 241; 4-9, 19-24, 41-47, 75-85, 105-110, 113-146 and 45-62 of Seq ID No 242; 4-25, 52-67, 117-124, 131-146, 173-180, 182-191, 195-206, 215-221, 229-236, 245-252, 258-279, 286-291, 293-302, 314-320, 327-336, 341-353, 355-361, 383-389 and 1-285 of Seq ID No 243; 14-32, 38-50, 73-84, 93-105, 109-114 and 40-70 of Seq ID No 244; 5-26 and 22-34 of Seq ID No 245; 23-28 and 13-39 of Seq ID No 246; 8-14 and 21-34 of

Seq ID No 247; 4-13, 20-29, 44-50, 59-74 and 41-69 of Seq ID No 248; 4-9, 19-42, 48-59, 71-83 and 57-91 of Seq ID No 249; 4-14 and 10-28 of Seq ID No 250; 22-28, 32-42, 63-71, 81-111, 149-156, 158-167, 172-180, 182-203, 219-229 and 27-49 of Seq ID No 251; 17-27 and 23-32 of Seq ID No 252; 18-24 and 28-38 of Seq ID No 253; 9-15 and 13-27 of Seq ID No 254; 13-22 and 18-29 of Seq ID No 255; 17-26 and 2-11 of Seq ID No 256; 4-33 and 16-32 of Seq ID No 257; 4-10, 37-43, 54-84, 92-127 and 15-62 of Seq ID No 258; 4-14, 20-32, 35-60, 69-75, 79-99, 101-109, 116-140 and 124-136 of Seq ID No 259; 2-13 of Seq ID No 260; 4-13, 28-42 and 42-57 of Seq ID No 261; 4-14, 27-44 and 14-35 of Seq ID No 262; 4-12 and 1-27 of Seq ID No 263; 4-18, 39-45, 47-74 and 35-66 of Seq ID No 264; 8-20, 43-77 and 17-36 of Seq ID No 265; 4-30, 35-45, 51-57 and 35-49 of Seq ID No 266; 4-24, 49-57 and 15-34 of Seq ID No 267; 4-22 and 8-27 of Seq ID No 268; 13-25, 32-59, 66-80 and 21-55 of Seq ID No 269; 4-10, 24-33, 35-42, 54-65, 72-82, 98-108 and 15-30 of Seq ID No 270; 8-19 and 17-47 of Seq ID No 271; 12-18, 40-46 and 31-52 of Seq ID No 272; 4-20, 35-78, 83-102, 109-122 and 74-86 of Seq ID No 273; 7-17, 21-41, 46-63 and 2-20 of Seq ID No 274; 30-37 and 2-33 of Seq ID No 275; 4-13, 17-25 and 1-15 of Seq ID No 276; 17-31, 44-51 and 20-51 of Seq ID No 277; 20-30 and 5-23 of Seq ID No 278; 13-33, 48-71 and 92-110 of Seq ID No 279; 4-9, 50-69, 76-88, 96-106, 113-118 and 12-34 of Seq ID No 280; 4-24 and 6-26 of Seq ID No 281; 7-26 and 14-30 of Seq ID No 282; 9-39, 46-68, 75-82, 84-103 and 26-44 of Seq ID No 283; 4-30, 33-107 and 58-84 of Seq ID No 284; 4-12 and 9-51 of Seq ID No 285; 12-18, 29-37 and 6-37 of Seq ID No 286; 4-21, 33-52, 64-71 and 16-37 of Seq ID No 287; 9-19 and 2-30 of Seq ID No 288; 20-37 of Seq ID No 245; 8-27 of Seq ID No 246; 10-27 of Seq ID No 247; 42-59 and 52-69 of Seq ID No 248; 63-80 and 74-91 of Seq ID No 249; 11-28 of Seq ID No 250; 28-49 of Seq ID No 251; 15-32 of Seq ID No 252; 4-20 of Seq ID No 253; 10-27 of Seq ID No 254; 17-34 of Seq ID No 255; 1-18 of Seq ID No 256; 16-33 of Seq ID No 257; 16-36, 30-49 and 43-62 of Seq ID No 258; 122-139 of Seq ID No 259; 1-18 of Seq ID No 260; 41-58 of Seq ID No 261; 15-35 of Seq ID No 262; 2-27 of Seq ID No 263; 18-36 of Seq ID No 265; 34-51 of Seq ID No 266; 9-27 of Seq ID No 268; 22-47 of Seq ID No 269; 18-36 and 29-47 of Seq ID No 271; 32-52 of Seq ID No 272; 72-89 of Seq ID No 273; 3-20 of Seq ID No 274; 3-21 and 15-33 of Seq ID No 275; 1-18 of Seq ID No 276; 6-23 of Seq ID No 278; 93-110 of Seq ID No 279; 13-34 of Seq ID No 280; 7-26 and 9-26 of Seq ID No 281; 16-33 of Seq ID No 282; 27-44 of Seq ID No 283; 67-84 of Seq ID No 284; 10-33 and 26-50 of Seq ID No 285; 7-25 and 19-37 of Seq ID No 286; 17-37 of Seq ID No 287; 3-20 and 13-30 of Seq ID No 288; 62-80 and 75-93 of Seq ID No 145; 92-108 of Seq ID No 147; 332-349, 177-200 and 1755-1777 of Seq ID No 148; 109-133, 149-174, 260-285 and 460-485 of Seq ID No 149; 26-47 and 42-64 of Seq ID No 150; 22-41, 35-54, 115-130, 306-325, 401-420 and 454-478 of Seq ID No 151; 22-45 of Seq ID No 155; 156-174, 924-940, 1485-1496, 1447-1462 and 1483-1498 of Seq ID No 160; 457-475 of Seq ID No 161; 302-325 of Seq ID No 163; 288-305 of Seq ID No 164; 244-266 and 260-282 of Seq ID No 165; 204-225 and 220-241 of Seq ID No 166; 324-345, 340-361, 356-377, 372-393 and 388-408 of Seq ID No 167; 39-64 of Seq ID No 168; 54-76 and 70-92 of Seq ID No 169; 1227-1247, 1539-1559, 1554-1574, 1569-1589, 1584-1604, 1242-1262, 1272-1292, 1287-1308, 1456-1477, 1472-1494, 1488-1510 and 1505-1526 of Seq ID No 170; 351-368 of Seq ID No 172; 179-200, 195-216, 211-232, 227-248 and 243-263 of Seq ID No 173; 13-37 of Seq ID No 174; 208-224 of Seq ID No 175; 42-64, 59-81, 304-328, 323-348, 465-489, 968-992, 1399-1418, 1412-1431 and 2092-2111 of Seq ID No 177; 1528-1547 and 1541-1560 of Seq ID No 178; 184-200, 367-388, 382-403, 409-429, 425-444 and 438-457 of Seq ID No 179; 27-50 and 45-67 of Seq ID No 180; 114-131 and 405-419 of Seq ID No 183; 113-134, 129-150, 145-166, 161-182 and 177-198 of Seq ID No 184; 495-515 of Seq ID No 186; 346-358 of Seq ID No 187; 208-224 of Seq ID No 190; 178-194, 202-223, 217-238, 288-308 and 1355-1372 of Seq ID No 192; 57-78 of Seq ID No 194; 347-369, 364-386, 381-403, 398-420, 415-437 and 432-452 of Seq ID No 197; 347-372 of Seq ID No 198; 147-163 of Seq ID No 199; 263-288 of Seq ID No 200; 361-377 of Seq ID No 202; 82-104, 99-121, 116-138, 133-155 and 150-171 of Seq ID No 204; 110-130 and 125-145 of Seq ID No 205; 613-631, 626-644 and 196-213 of Seq ID No 206; 78-100, 95-117, 112-134 and 129-151 of Seq ID No 208; 158-180, 175-197, 192-214, 209-231 and 226-248 of Seq ID No 209; 30-50, 45-65 and 60-79 of Seq ID No 210; 431-455 and 450-474 of Seq ID No 213; 579-601, 596-618, 613-635 and 630-653 of Seq ID No 214; 920-927, 98-119, 114-135, 130-151, 146-167 and 162-182 of Seq ID No 217; 36-59 of Seq ID No 219; 194-216 and 381-404 of Seq ID No 220; 236-251 and 255-279 of Seq ID No 221; 80-100 and

141-164 of Seq ID No 222; 128-154 of Seq ID No 223; 82-100, 95-116 and 111-134 of Seq ID No 224; 55-76, 71-92 and 87-110 of Seq ID No 227; 91-106 of Seq ID No 229; 74-96 of Seq ID No 230; 140-157 of Seq ID No 231; 4-13 of Seq ID No 233; 41-65 and 499-523 of Seq ID No 236; 122-146, 191-215, 288-313, 445-469 and 511-535 of Seq ID No 239; 347-368 of Seq ID No 241; 46-61 of Seq ID No 242; 15-37, 32-57, 101-121, 115-135, 138-158, 152-172, 220-242 and 236-258 of Seq ID No 243.

15. A process for producing a *S. pneumoniae* hyperimmune serum reactive antigen or a fragment thereof according to any one of the claims 11 to 14 comprising expressing the nucleic acid molecule according to any one of claims 1 to 7.
16. A process for producing a cell, which expresses a *S. pneumoniae* hyperimmune serum reactive antigen or a fragment thereof according to any one of the claims 11 to 14 comprising transforming or transfecting a suitable host cell with the vector according to claim 8 or claim 9.
17. A pharmaceutical composition, especially a vaccine, comprising a hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of claims 11 to 14 or a nucleic acid molecule according to any one of claims 1 to 7.
18. A pharmaceutical composition, especially a vaccine, according to claim 17, characterized in that it further comprises an immunostimulatory substance, preferably selected from the group comprising polycationic polymers, especially polycationic peptides, immunostimulatory deoxynucleotides (ODNs), peptides containing at least two LysLeuLys motifs, neuroactive compounds, especially human growth hormone, albumin, Freund's complete or incomplete adjuvants or combinations thereof.
19. Use of a nucleic acid molecule according to any one of claims 1 to 7 or a hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 for the manufacture of a pharmaceutical preparation, especially for the manufacture of a vaccine against *S. pneumoniae* infection.
20. An antibody, or at least an effective part thereof, which binds at least to a selective part of the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14.
21. An antibody according to claim 20, wherein the antibody is a monoclonal antibody.
22. An antibody according to claim 20 or 21, wherein said effective part comprises Fab fragments.
23. An antibody according to any one of claims 20 to 22, wherein the antibody is a chimeric antibody.
24. An antibody according to any one of claims 20 to 23, wherein the antibody is a humanized antibody.
25. A hybridoma cell line, which produces an antibody according to any one of claims 20 to 24.
26. A method for producing an antibody according to claim 20, characterized by the following steps:
 - initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of the claims 11 to 14, to said animal,
 - removing an antibody containing body fluid from said animal, and
 - producing the antibody by subjecting said antibody containing body fluid to further purification steps.

27. Method for producing an antibody according to claim 21, characterized by the following steps:
 - initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of the claims 12 to 15, to said animal,
 - removing the spleen or spleen cells from said animal,
 - producing hybridoma cells of said spleen or spleen cells,
 - selecting and cloning hybridoma cells specific for said hyperimmune serum-reactive antigens or a fragment thereof,
 - producing the antibody by cultivation of said cloned hybridoma cells and optionally further purification steps.
28. Use of the antibodies according to any one of claims 20 to 24 for the preparation of a medicament for treating or preventing *S. pneumoniae* infections.
29. An antagonist, which binds to the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14.
30. A method for identifying an antagonist capable of binding to the hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 comprising:
 - a) contacting an isolated or immobilized hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 with a candidate antagonist under conditions to permit binding of said candidate antagonist to said hyperimmune serum-reactive antigen or fragment, in the presence of a component capable of providing a detectable signal in response to the binding of the candidate antagonist to said hyperimmune serum reactive antigen or fragment thereof; and
 - b) detecting the presence or absence of a signal generated in response to the binding of the antagonist to the hyperimmune serum reactive antigen or the fragment thereof.
31. A method for identifying an antagonist capable of reducing or inhibiting the interaction activity of a hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 to its interaction partner comprising:
 - a) providing a hyperimmune serum reactive antigen or a hyperimmune fragment thereof according to any one of claims 11-14,
 - b) providing an interaction partner to said hyperimmune serum reactive antigen or a fragment thereof, especially an antibody according to any one of the claims 20 to 24,
 - c) allowing interaction of said hyperimmune serum reactive antigen or fragment thereof to said interaction partner to form a interaction complex,
 - d) providing a candidate antagonist,
 - e) allowing a competition reaction to occur between the candidate antagonist and the interaction complex ,
 - f) determining whether the candidate antagonist inhibits or reduces the interaction activities of the hyperimmune serum reactive antigen or the fragment thereof with the interaction partner.
32. Use of any of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14 for the isolation and/or purification and/or identification of an interaction partner of said hyperimmune serum reactive antigen or fragment thereof.
33. A process for *in vitro* diagnosing a disease related to expression of the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 comprising determining the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen and fragment according to any one of claims 1 to 7 or the presence of the hyperimmune

serum reactive antigen or fragment thereof according to any one of claims 11-14.

34. A process for *in vitro* diagnosis of a bacterial infection, especially a *S. pneumoniae* infection, comprising analysing for the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen and fragment according to any one of claims 1 to 7 or the presence of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14.
35. Use of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14 for the generation of a peptide binding to said hyperimmune serum reactive antigen or fragment thereof, wherein the peptide is selected from the group comprising anticalines.
36. Use of the hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 for the manufacture of a functional nucleic acid, wherein the functional nucleic acid is selected from the group comprising aptamers and spiegelmers.
37. Use of a nucleic acid molecule according to any one of claims 11 to 14 for the manufacture of a functional ribonucleic acid, wherein the functional ribonucleic acid is selected from the group comprising ribozymes, antisense nucleic acids and siRNA.